

Digital Collection

DIGITAL ROLL MEDIA

SMART PRODUCTS LINE

2019



Digital Roll Media for Large Format Digital Printing



(LFDP)



Pag. 4 - 5

OWV - One Way Vision Regular Patterns OWV - One Way Vision Special Designs POLYESTER One Way Vision CLING For Window sign + Glass Finish DOTTY Line - Spot adhesive



Pag. 6 - 7

GLASS & WALL Graphics with NANO-Tack[®] Technology CLING & Static for Window Sign - Cling Tack FLOOR GRAPHICS IN-STORE LIGHTING MAGNETIC GRAPHIC SYSTEM



Pag. 8

CARBON-BLOCK new compound for Bannering, Display MULTILAYER for Roll-up, Hanging Banner, Display POLYFLAT® Ultra Soft, Ultra Flat for Roll-Up & Display GREEN AREA - PP and full PET for Roll-Up & Display



Pag. 9

INTERCAST Premium Banner
MESH Coated
FUSION Laminated Banner
SPECIAL DESIGN Textiles



Pag. 10 - 11

COTTON & ART Canvas

POLYESTER Canvas White & Block-out

BACKLIT - for Light box FRAMES & Silicone Edges

FLAG Polyester

SPECIALITIES

DESIGNED FOR EUROPE



















Product line rolls, sheets & profiles for smart decoration and industry





Pag. 12 -13

INDUSTRY AND SPOT COMMUNICATION

MAGNETIC ROLLS - WHITE & BROWN
MAGNETIC SHEETS - WHITE & BROWN
STRIPS & PROFILES



Pag. 14 - 15

MAGNET & FERRO FOR VISUAL COMMUNICATION

PANEL & WALL set up - magnet & ferro rolls with adhesive

PANEL & WALL set up - magnet sheets with adhesive + ferro paint

FERRO FILM - for printing and overlapping - for wall decoration

MAGNET FILM - for printing and overlapping - for wall decoration



Pag. 16

NEW LINE FOR LASER AND DESKTOP FLATBED (A3 PLUS)

POLYESTER white & clear self-gripping for glass and wall MAGNET and FERRO FILM POLYESTER textile with adhesive WHITEBOARD self - gripping for glass and wall



Pag. 17

NEW LINE FOR DIGITAL OFFSET, DESKTOP FLATBED AND SCREEN

POLYESTER white & clear self-gripping system MAGNET and FERRO FILM (stabilized)
NANO-TACK technology white PP and clear PET



Pag. 18 - 19

MR. BORDON - DRY ERASE WHITEBOARDS LINE

POLYESTER with dots for glass&panel FERRO & MAGNET self-adhesive for wall REWRITABLE FILM for lamination







WINDOW



One Way Vision (OWV)

Product Colour		Product Code	Thickness (micron)	Width (m)	Length (m)	Hole Ø (mm) & Printable area	Release liner	Printability
	0	NE WAY VI	SION -	Regula	ar Pa	tterns		
OWV 2000 series Shot Line	white/black	C-21-50F	140	1,06 - 1,37 -1,52	50	1,60 / 60%	PE coated kraft	E
OWV 6000 series Basic UV	milk white/black	C-61-30/50C	180	1,06 - 1,37 -1,52	30/50	1,60 / 60%	additional OPP liner	E • 0
OWV 7500 series Fifty-fifty image	white/black	C-71-50F	160	1,37-1,52	50	1,50 / 50%	PE kraft paper	E (
OWV 8020 series Eighty-twenty	white/black	C-8137-30C	160	1,37	30	1,50 / 80%	additional liner	E • 0
OWV 18660 series Longlife polymeric	milk white/black	C-P137-50C-46	180	1,37	50	1,60 / 60%	additional OPP liner	E (0
		ONE WAY	VISION	l - Spe	cial D	esigns		
OWV 5500 Clear	clear trasparent	C-5137-30C	140	1,37	30	1,50 / 70%	additional OPP liner	E • 0
OWV 12000 Night&Day polymeric	(24h)	C-BL137-30C	180	1,37	10/30	1,50 / 70%	additional liner	E () ()
OWV 12500 Night&Day monomeric	Opal backit	C-BM137-30C	140	1,37	30	1,50 / 70%	additional liner	E (1) (1)
POLYESTER 0	NE WAY VIS	ION - For ins	side win	dow ima	gery	application/use		
OWV 3715 polyester Inside glass layer - NO GLUE	white/black	C-PET137-30	200	1,37	10/30	HOW TO COMBINE CLEAR TAPE. One side: permanent glue to laminate OWV	protection liner NO GLUE	E • U
DOUBLE SIDE cle to be laminated with OWV 37		C-2TAPE135-30	180	1,35	10/30	3715. Other side: silicone glue to be placed inside of the glass	double PET liner	NOT FOR PRINTING



















Product	Colour	Product Code	Thickness (micron)	Width (m)	Length (m)	Features & Application	Release liner	Printability
	CLI	NG for Wir	ndow S	ign + G	LASS	FINISH		
CLING STATIC	white gloss	CLING-W	180	107 107	30	for temporary appli- cations for signage,	matt	E () ()
Soft vinyl	clear gloss	CLING-T	180	1,07 - 1,37	30	pop notices, display and vehicle graphics	PET liner	
CLING TACK High clarity	ultra clear PVC, conformable & repositionable	HC- 0830-12	80	1,27	30	designed to provide 100% of trasparency	matt PET liner	E • •
	standard effects	WS-1050	100	1,06 - 1,27	50		PE coated kraft	
SANDBLAST	frosted effect	WG-1050	100	1,00 - 1,27	50	to create private areas	paper with a grey grid on the	E 0 0
	thermal protection	WTP-1250-12	120	1,27	50		front side	
Line	e s	pot adhesive	e - Easy	to apply,	, no bu	ibbles, easy	to remove	
	vinyl white matt	DOT-WM	100					
DOTTY VINYL No bubbles	vinyl white gloss	DOT-WG	100	1,07 - 1,37	50	easy to apply, no bubbles easy to remove	PE coated kraft paper	E 0 0
	vinyl clear gloss	DOT-CG	100			cusy to remove		
DOTTY PET	PET- white matt	DOT-PETWM-13	115	1,37	50	no bubbles no warping	matt	
No bubbles No shrinkage	PET- clear gloss	DOT-PETCG-13	115	1,07	30	no shrinkage!	PET liner	• •





















SPOT DÉCO

In-Store Advertisement glass & wall decoration and sign



		Code	(micron)	(m)	(m)	Application	liner	
	GLASS & V	WALL grap	hics w	vith Nar	no-Ta	ck® Tecno	logy	
	trasparent PET	WALLY-PETCG-13	140		10/50	designed for flat, clean and gloss surface		
WALLY	white PET	WALLY-PETWM-13	140	1,37	.0,00	(glasses, vehicles, screens, all furniture, metals)	PET liner	
with Nano-Dots	two tack PET	TW0-TACK-13-50	65		50	for fast placement of bifacial image	. 21	not for printing (lamination only)
	whiteboard PET	WB-W12050-RE	150	1,20	50	repositionable whiteboard film for dryerase markers		not for printing (whiteboard)
NANO-TACK	trasparent PET	NANO-PET1550-13	155	1,37	10/50	designed for flat, clean and gloss surface	PET liner	E B O
classic	white PP	NANO-PP1750-13	175	1,37	50	(glasses, vehicles, screens, all furniture, metals)	r L i unei	
		CLING &	Static f	for Wind	ow Sig	ın		
CLING STATIC	white gloss	CLING-W	180	1,07 - 1,37	30	for temporary applications of signage, pop	matt PET liner	
gloss soft vinyl	clear gloss trasparent	CLING-T	180	1,07 - 1,37	30	notices, display and vehicle graphics	matt FET tiller	E () ()
CLING Tack high Clarity	ultra clear PVC low tack, conformable & repositionable	HC-0830-12	80	1,27	30	designed for high clarity application	matt PET liner	E () ()





















SPOT DÉCO



In-Store Advertisement wall & floor decoration and sign

	Product	Colour	Product Code	Thickness (micron)	Width (m)	Length (m)	Features & Application	Release liner	Printability
				FLOC)R Graphi	CS			
1	FLOOR Graphics Protection layer	Professional antislip layer R10	FG-2050	200	1,06-1,27-1,52	30	To make any self-adhesive print walkable	kraft paper	not for printing (lamination only)
		Shop Sign printable layer R10	RS-1630	160	1,07 - 1,27	30 -10/30	indoor applications for shopping centers, fairs, stations, airports	kraft paper	E 0 0
1	FLOOR Graphics print & go	Carpet Floor® printable layer R10	CF-3230-12	320	1,27	10/30	indoor applications for carpet decoration during exhibitions and trade shows	PE kraft paper	E 0 0
		Mak Floor® printable layer R13	MAK-5530	550	1,07 - 1,27	30 -10/30	indoor applications for dividing lines, reserved areas, wet floors and stairs	kraft paper	E 0 0
				IN-ST	ORE Lighti	ing			
	TEXON	opal backlit	TEXON-B19	190	1,07-1,37-1,60	30	for medium & big size light-boxes	_	E (1) (1)
-	12XON	textile		.,,	3,20	50	(with or without silicone edges)		
		MAGNETIC	C Graphic S	System	ı - Magnet v	wall se	et-up + Ferro	Film	
	MAGNETIC	brown with adhesive	MGSA-1026015-BR	600	1,02	15	to install magnetic walls and display	paper liner	
	self adhesive for wall set-up	brown with adhesive	MGSA-3060-BR	600	30 x 60 cr		modular magnetic tiles	paper liner	not for printing (wall set-up)
		brown with foam adhesive	MGSA-3060-FM	500	30 X 60 CI	11	for quick set-up	PE liner	
	FERRO FILM	PET white matt	PET-FSV20	200	1,07 - 1,27 1,37 - 1,62	30	to be printed and applied on	_	E () ()
	decoration	PP white matt	PP-FSV24	240	1,07 - 1,37 1,62	30	magnetic walls (multiple overlapping)		



















PLASTIC



	Product	Colour	Product Code	Thickness (micron)	Width (m)	Length (m)	Printability
	Carbon-block	new compoun	d for BANNE	ERING,	DISPLAY		
	NEW COMPOSITE	white/carbon	CB-2650	260	0,914 - 1,07 - 1,37 - 1,60	50	E () ()
	MULTILAYER	texturized surfac	& DISP	LAY			
	MATT PVC + PET	white/white	PW-2250	220	0,914 - 1,06 - 1,27	50	E () ()
	MATTIVOTIE	white/grey	PG-2250	220	0,914 - 1,06 - 1,27	50	E • U
	Backlit PVC + PET	opal diffuser	BL-2250	220	1,27 - 1,52	50	E U
	PVC + PET + PVC Structured film for hanging banners & Pop-up (coming soon)	white/black/white	HNG-4830	480	0,914 - 1,07	30	E • •
B1	PolyFLAT _® u	LTRA SOFT, ULTI	RA FLAT - for	ROLL-U	P & DISPLAY		
	Light Stop		DOC 2222/52	220	0,914	30/50	
	Light Stop PVC + PET + PVC	white/grey	PGS-3230/50	320	1,07-1,27-1,37-1,60	30	E (()
	Backlit PVC + PET + PVC	opal diffuser	BLS-3350	330	1,07 - 1,60	50	E • •
	Blockout PVC + PET + PVC	white/black/white	BKS-3350	330	1,07 - 1,27	50	E • •
PVC FREE	GR	EEN AREA (PP &	full PET) - for	r ROLL-	UP & DISPLAY		
,	PP - TEXTILE	white matt	TPP-3030	300	1,07 - 1,37	30	E (U
	PP - LIGHT STOP	white / grey	PP-WS2030	200	0,914 - 1,06	30	E (0
	PET - LIGHT STOP	white / grey	PY-WS1530	150	0,914 - 1,06	30	E 0 0
	PET - BACKLIT	opal diffuser	PY-BL2130	215	1,07 - 1,27 - 1,52	30	E () ()
						# T	Σ V



















INTER Cast BANNER | | | | |



	Product	Product Code	Weight (gsm)	Finish	Width (m)	3		Breaking Strength (N/5 cm)	Printability
			11	NTERCAS	ST Premium	Bann	er		
		CT-FL510	510	matt	1,12 - 1,37 - 1,60	30	20* 20	2200/1900	E (1) (1)
	FRONTLIT	01 1 2010	310	matt	2,50 - 3,20	50	1000 D*1000 D	2200/1700	
	B1	CT-FL510-B1	510	matt (DIN4102-B1)	1,12 - 1,37 - 1,60	30	20* 20 1000 D*1000 D	2200/1900	E 0 0
		CT-FL560	560	matt	1,12 - 1,37 - 1,60	30	20* 20 1000 D*1000 D	2200/1900	E 0 0
B1	BACKLIT	CT-BL560-FR	560	matt (DIN4102-B1)	1,37	30	28* 28 500 D*500 D	1800/1300	E 0 0
	BLOCKOUT	CT-BK440	440	matt	1,12 - 1,37 - 1,60	30	36* 36 250 D*250 D	1800/1030	E 0 0
	BEGORGOT	CT-BK610	610	matt	1,12 - 1,37 - 1,60	30	28* 28 500 D*500 D	1850/1350	E 0 0
B1	MESH	CT-MS300-FR	300	matt	1,12-1,37-1,60 (liner)	30	12* 12 1000 D*1000 D	1250/1100	E 0 0
	FUSI	DN		FUSION	Laminated B	anne	r		
	FRONTLIT	BL-FLHS-440	440 high smooth	matt	1,12 - 1,37 - 1,60	- 50	18* 12	650/590	E () ()
	RONTEN		indoor	matt	3,20	30	300 D*500 D	300,070	
	CROSSWIND	BL-FLCW-440	440 crosswind outdoor	matt	1,12 - 1,37 - 1,60	50	9* 9 1000 D*1000 D	1590/1260	E 0 0
				SPECIA	L DESIGN Te	xtiles			
	DECO-TEX	CT-SP440	440	white matt	1,12 - 1,60	30	9* 9 500 D*500 D	850/750	E • •























	Product	Product Code	Weight (gsm)	Finish	Width (m)	Length (m)	Features	Printability	
			C	OTTON C	ANVAS & Art C	anvas	5		
	SUPER WHITE	TCW-3618-G	360	gloss	1,07 - 1,37 - 1,52	18	High tensile strength	E (1) (1)	
	Cotton Canvas	TCW-3618	360	matt	1,07 - 1,37 - 1,52	18	good dimensional stability		
	ART CANVAS Natural Cotton Canvas	TAN-3918	390	matt	1,07 - 1,27	18	High resolution good opacity, ideal for fine art	E D O D	
		Р	OLYES	STER CA	NVAS - White 8	Bloc	:k-out		
		TPW-1930	195	matt	0,914-1,07-1,37-1,52	30	No curling, for Roll-up, X banner and hanging banners.	E () () ()	
	SUPER WHITE	TPW-1950	195	matt	3,20	50	Flame retardant available on demand		
	Polyester Canvas	TPC-2330-G	230	gloss	1,07 - 1,37 - 1,52	30	High definition, high tensile strenghth, good	E () ()	
		TPC-2330	230	matt	1,07-1,27-1,37-1,52	30	dimensional stability		
B1	BLOCK-OUT Polyester Canvas	TBK-2830	280	biface matt matt	1,07 - 1,37 1,60	30	double-side printable high tensile strength	E 0 0	
		BACK	LIT - 1	for light-	box FRAMES 8	silic	one edges		
	POLYESTER BASIC for Flag&Frame	TFF-1230	120	matt	1,07 - 1,37 - 1,60	30	for small and medium size light boxes	E • •	
	TEXON	TEXON-B19	190	matt	1,07 - 1,37 - 1,60	30	for medium & big size light-boxes	E (1) (1)	
4	Vinyl-Textile	LACK BIT	190	matt	3,20	50	(with or without silicone edges)		
	PROFESSIONAL	TPR-1730-16B1	170	matt	1,60	30	for medium & huge size	E () ()	
131	Polyester Backlit	TPR-1750-32B1	170	matt	3,20	50	(crease free)		
























	Product	t	Product Code	Weight (gsm)	Finish	Width (m)	Length (m)	Features	Printability
					FLA	G - Polyester			
	POLYESTER + special Oxi-Dry line		TFX-1630	160	matt	1,07 - 1,37	30	2-side view, with the plus of the NEW Oxy-Dry liner	E () ()
	POLYESTER for Flag&Fra		TFF-1230	120	matt	1,07 - 1,37 - 1,60	30	for formulate flags	E () ()
					SF	PECIALITIES			
	ROLL-UP CANVAS Top Green		TPP-3030	300	matt	1,07 - 1,37	30	Top Green, high tenacity for roll-up & hanging banner	E () ()
	DÉCO TEX		CT-SP440	440	matt	1,12 - 1,60	30	Ideal for decoration interior design	E () ()
	SELF-ADH		TAP-1530	150	matt	1,07 - 1,37	30	textile touch, more opacity, for wall covering	E () ()
	R	acklit	TEXON-B19	190	matt	1,07 - 1,37 - 1,60	30	designed for backlit,	E (1) (1)
B2	TEXON Vinyl	acktit	TEXON-B17	170	matt	3,20	50	high definition	
	Textile Gr	ey back	TEXON-G19	190	matt	1,25 - 1,60	30	Light-stop grey back, ideal for booth crowners	E () ()
B1	TEXON QUATTRO		TEXON-Q3230	390	rough finish gray back	1,07 - 1,37 - 1,60	30	remarkable decorative effect high definition good dimensional stability	E 0 0















11



Industry and spot communication R O L L S White&Brown



Product

Total thickness Finish

Product

Width/size

Length

Pull

Features

Printability


		(micron)		Code	(mm)	(m)	(g/cm²)		
		MAGNE	TIC R	OLLS - Whi	ite & Browr	ı (iso	tropic)	
	MAGNET WHITE PET ultra FLAT for Digital printing	300	matt	PETMG-30-WM	1070 - 1270 - 1370 - 1600	30	8 - 10	Certified for HP Latex Inks Direct printing with any kinds	E () (
	MAGNET WHITE PVC	400	matt	MGD-40-WM	500 - 1020	- 15	15 - 18	of digital ink-jet and screen	E (1) §
	for Digital printing	500	gloss	MGD-10050-WG	1000	13	18 - 22	Print &Cut	E (1) §0
		500		MG-50-WM	615 - 1000	15	18 - 22		
	MAGNET WHITE PVC	600	matt	MG-60-WM	615 - 1000	10/15	28 - 30	For Digital flat-bed	E U SC
		850		MG-85-WM	615 - 1000	10/15	40 - 44	& screen	
	for Flatbed and Screen	500	gloss	MGD-10050-WG	1000	15	18 - 22	For sign, packaging	
		850	gloss	MG-6185-WG	615	- 15	40 - 44	and display	
	Rewritable PET Film for magnetic boards	50	gloss	LAR-0550	1070 - 1270	50	-	Make your media rewritable!	Lamination only
	BROWN	400		MG-1004020-BR	1000	20	18 - 22		
	MAGNET	500	matt	MG-5020-BR	615 - 1000	20	28 - 30	To be lami	nated and
	for LAMINATION & MOUNTING FERRO Sheet Plain brown	750	IIIGU	MG-75-BR	615 - 1000	- 15	40 - 44	mounted printed	media ´
		1000		MG-61100-BR	615	15	55 - 57	(naner or plastic)	
		500	matt	MGSF-615020-BR	615	20	-		
















#guandongitalia

















Industry and spot communication SHEETS & PROFILES



Product

Total thickness Finish

Product Code Width/size

Sheets (x box) Pull (g/cm²) Features

Printability


MAGNETIC SHEETS - White & Brown for Digital flatbed, Screen and lamination with Offset printed media

	WHITE Magnetic	F00	matt	MWS-3550-50	35 * 50 cm	50	18 - 22	For direct printing with UV and Latex	E (1) (1) (2)
	Sheets	500	matt	MWS-5070-50	50 * 70 cm	50	10 - 22	flatbed, Eco-solvent and Screen	
	BROWN			MBR-3550-40	35 * 50 cm			F lowinstian	
	Magnetic	400	matt	MBR-5070-40	50 * 70 cm	50	18 - 22	For lamination with any Digital	not for printing
Sheets	Sneets	Sheets		MBR-4462-40	44 * 62 cm			printed media	





	STRIPS AND PROFILES												
	Plain brown				12,7		70 g/cm	Pole-A (white liner)	Pop-up display				
manager transmi	magnetic WITH	1500	matt	MG-PA1530	12,7	30	70 g/ciii	Pole-B	system for Retail Display Door sealing				
11000	ADHESIVE				25,4		140 g/cm	(red liner)	and more				











- Pop-up structures are usually already equipped with B-pole strips. To mount the media, use A-pole strips.
- All magnetic sheeting and profiles are at the isotropic level and flame retardant.





-solvent 🕕 Latex



UV soft inks





MAGNET&FERRO for Panel and Wall set-up



HOW TO PREPARE THE WALL FOR MAGNETIC COMBINATIONS

Product	Structure	Thickness (micron)	Finish	Product Code	Width (mm)	Lenght (m)	Pull (g/cm²)	Features	Printability				
MAGNETIC&FERRO Roll self-adhesive - for professional applications													
	MAGNET Plain	500	matt	MGSA-6150-BR	615	20	28-30	To receive	_				
MAGNET ADHESIVE	brown with adhesive	600	matt	MGSA-6015-BR	615 - 1020	15	34-36	printed					
ADHESIVE	MAGNET white PVC with adhesive	600	matt	MGSA-10260-WM	1020	15	28-30	Ferro Film	E 30				
	FERRO Plain	250	matt	MGSFSA-1022530-BR	1020	30	-	To receive					
FERRO ADHESIVE	brown with adhesive	500	matt	MGSFSA-10250-BR	1020	15	-	printed	-				
	FERRO white PVC	600	matt	MGSFSA-10260-WM	1020	15	-	Magnet Film	E U 33				



- We highly recommend to clean up the wall or panel surface carefully, to ensure the best performance of the self-adhesive backing.
- The wall or panel surface must be well dried whatsoever.
- · Heat gun use is suggested in order to soften the compound, revive the glued backing and improve the overall adhesion of the film to the designated surface.

rear guil use is suggested in order to soften the compound, revive the gued backing and improve the overall autresion of the num to the designated surface.							
Product	Structure	Thickness (micron)	Finish	Product Code	Size (cm)	Sheets (x box)	Printability
Magnet Sheets - self-adhesive - easy to apply also for D.I.Y.							
	MAGNET Brown with adhesive back foam	500	matt	MGSA-3060-FM	30x60	50	to receive printed
	MAGNET Brown with adhesive	600	matt	MGSA-3060-BR	cm	30	ferro film
	Product	F	inish	Product Code	Litre (ι)	Weight (Kg)	Printability
FERRO PAINT - Magnetic receptive coating for wall							
Eerro, Paint	FERRO Paint	bla	ck matt	PAINTWALL-08	0,8 L / can	1,6	to receive printed magnetic film

Where to use:

Retail environments, classrooms, children's rooms, kindergartens, bedrooms, offices, recreation centers, museums, furniture surfaces, kitchens, bars and restaurants, etc.

Product Features Magnetic Receptive Surface:

- The magnetic paint is not magnetic. It is magnetic receptive.
- 100% water based, easy to apply and easy to clean
- Low odor, no VOC, non-toxic and lead free.
- Will not cause interference with electronic devices.









Note: The ferro paint used as a primer. It can't hold heavy magnets. It goes best with flexible magnets with a large contact surface like magnetic cards and flat fridgemagnets. Clean the can and application tools with water. Store the paint at temperature of 0° to 50° and avoid direct sunlight.













MAGNET&FERRO for Panel and Wall set-up



THE RIGHT WAY TO CHANGE YOUR WALL DECORATION IN 6 MINUTES

Product	Structure	Thickness (micron)	Finish	Product Code	Width (mm)	Lenght (m)	Pull (g/cm²)	Features	Printability
	FERRO Film - Roll for Digital Printing and Ovelapping								
FERRO	FERRO Film white PET	200	matt	PET-FSV20	1070-1270 - 1370 - 1620	30	-		E (1) (1)
FILM (ferrous)	FERRO Film white PP	240	matt	PP-FSV24	1070-1370 - 1620	30	-	To be applied on the magnetic	E (1) (1)
	FERRO Film White PP industrial	240	matt	PPF-UL	1370-1620	50	-	wall	00
Ш	FERRO Film Paper	180	matt	PAP-FVM-05	1050	30	-	Display and packaging	00
Product	Structure	Thickness (micron)	Finish	Product Code	Width (mm)	Lenght (m)	Pull (g/cm²)	Features	Printability
	MAGN	IET Filr	n - R	oll for Di	gital Print	ting a	nd O	verlapping	
	MAGNET WHITE PET ultra FLAT	300	matt	PETMG-30-WM	1070-1270 - 1370 - 1600	30	8-10		E (1) (1)
MAGNET FILM	MAGNET WHITE PET industrial	300	matt	PETMG-30-UL	1370 – 1600	50	8-10	Print &Cut	0 0
M	MAGNET	400	matt	MG-40-WM	1020	15	15-18	To be applied	E (1) (1) (5)
	WHITE PVC for Digital & Screen	500	matt	MG-50-WM	615-1000	15	18-22	on the Ferro Wall	E (1) (3)
	Printing	600	matt	MG-60-WM	615-1000	10/15	28-30		



















AGNUS



THE DIGITAL PRINTING SHEET

For Laser, Desktop Flatbed and Screen

Product		Code	Sheets (per Box)	Thickness (micron)	Weight (gsm)	Size (cm)	Printability
		MR MAGNUS	® - A3 Plı	ıs sheets	range		
Wally	WALLY White Matt PET with Nano-Dots	WALLY-WM-4632	150 (30x5)	190	215	A3 Plus (46x32)	
	WALLY Clear Gloss PET with Nano-Dots	WALLY-CG-4632	,,	190	235		
Magnet	Magnet PAPER	PAPER-M-4632	150	320	630	A3 Plus (46x32)	1 0 0 5
	Magnet PET	PET-M-4632	(30x5)	300	725		
Ferro	Ferro PAPER	PAPER-F-4632	150	330	630	A3 Plus (46x32)	1 0 0 6
	Ferro PET	PET-F-4632	(30x5)	300	650		
TAP	TAP - Polyester Textile with adhesive	TAP-WM-4632	150 (30x5)	320	320	A3 Plus (46x32)	1 0 0 6
WHITEBOARD	Self-Gripping Whiteboard with Nano-Dots	WB-4632-RE	150 (30x5)	200	255	A3 Plus (46x32)	Not for printing. Rewritable self-gripping film for window and wall

Mr Magnus Collection products are easy to remove and to reposition. **Mr Magnus** Collection complies with the strictest European regulations in terms of safety, pollution and environment.

















PRINT & CUT
YOUR GADGET
in 1 min!















THE DIGITAL PRINTING SHEET

For Digital Offset, Desktop Flatbed and Screen

Product	Code	Sheets (per Box)	Thickness (micron)	Pull (g/cm²)	Size (cm)	Printability
MR MAGNUS	® - The Magic W	orld of	Synthetic	Sheets 5	0x70 c	m
MAGNET Paper	OD57-MAGW-PAP	100	300	6 - 8	50x70	65 1 0 0 59
MAGNET PP (New Product)	OD57-MAGW-PP	100	300	6 - 8	50x70	∞ 0 0 0
FERRO PAPER - Varnish	OD57-FERRO-PAP	200	200	receptive 6 - 8	50x70	6 1 0 0 6
FERRO PP - Varnish	0D57-FERRO-PP	200	240	receptive 6 - 8	50x70	69 1 0 0 59
WALLY WHITE PET	OD57-WALLYW-PET	200	180	-	50x70	69 1 0 0 59
WALLY CLEAR PET	OD57-WALLYC-PET	200	190	-	50x70	69 1 0 0 59
DOTTY WHITE PP (New Product)	OD57-DOTTYW-PP	200	250	-	50x70	69 1 0 0 59
NANO TACK CLEAR PET	OD57-NTACKC-PET	200	180	-	50x70	65 1 0 0 59
NANO TACK WHITE PP	OD57-NTACKW-PP	200	250	-	50x70	65 10 10 59



IMPORTANT NOTICE:

- The extraction of the sheet from the ream must happen in presence of an ionised airflow, which allows the sheet to soar before being fed into the printing station.
- ullet The total thickness shown in the chart includes the layer, the glue and the liner (if present).























MR BORDON !

DRY ERASE WHITEBOARDS

THE ERASABLE WHITEBOARD RANGE FOR ANY SURFACE

Product Code Size Features (Width/Lenght)

SELF-GRIPPING WHITEBOARD - with Nano-Dots (suction cups)

N	A۱	١C)-[)(DΤ	S
0	ě		200	0	9	7
9	e l		0			ı
0	0,0	00	0	0	10	,

For Professional applications	WB-W12010-RE	1,20 x 10 m	Ideal for offices and coworking	
A3 Plus Sheets for DIY composition	WB-4632-RE	46 x 32 cm	spaces, easy to apply on glass and smooth surfaces, easy to remove	

MAGNET WHITEBOARD - self adhesive for wall application



Magnet Whiteboard - Gloss Finish	WB-M12010-RE	1,20 x 10 m	Ideal for schools, kindergartens and offices
Projectable Magnet Whiteboard	WB-MM12010-RE	1,20 x 10 m	Projectable magnetic film for dynamic business slideshows, speeches and lectures









FERROUS WHITEBOARD - magnetic receptive




Ferro Whiteboard Self-Adhesive	WB-F12010-RE	1,20 x 10 m	Ideal for schools, kindergartens and offices
-----------------------------------	--------------	-------------	---

FERROUS BASE VERSION

This product is made from Flexible Rubber Steel laminated with self-adhesive on one side and high gloss dry erase white film on the other side.

The self adhesive side can be applied to any smooth surface and the white surface is for writing. You can apply any magnet parts on the surface as decoration.

		ACCESSOR	RIES		
ACCESSORIES	Rewritable clear film with self-adhesive for lamination	LAR-0510-120	1,20 x 10 m	To make any media rewritable. Unleash your creativity!	
	Two-Tack film: side A – permanent glue, side B – suction cups	TWOTACK-12-10	1,20 x 10 m	To make any media repositionable. Unleash your creativity!	











DRY ERASE WHITEBOARDS

WHITEBOARD IS ALL OVER AND EVERYWHERE





























#guandongitalia info@guandong.eu www.guandong.eu



Quality, Engineering and Marketing by Guandong Italia

Guandong Headquarters Milan - Italy S.S. 415 Paullese Km 10 - 20090 Caleppio di Settala - Milano - Italy Ph. +39 02 897859.88 - Fax +39 02 897856.81 info@guandong.eu - www.guandong.eu

Shanghai Office

Guandong-Wider Union - Harbor Ring Plaza no. 18 Tibet Middle Road 200001 Shanghai - info@guandong-cn.com