



## WALLY PET on LATEX

### Tips for printing settings

#### WALLY-PET-WM

- Media setting: PET film
- Temperature: 93°C
- Print passes: 10P
- Ink quantity: 100%
- Vacuum: 20%
- Air flux: 175
- Optimizer: 30%
- Input tension: 0
- OMAS (HP Optical Media Advance Sensor): off
- IMPORTANT: check the calibration before print
- Offset delay: 0 ms



Notice: to obtain a perfect print perform the print head manual regulation using a glossy vinyl.

#### WALLY-PET-CG

- Media setting: Self-Adhesive film, bright colors
- Temperature: 95°C
- Print passes: 16P
- Ink quantity: 185%
- Vacuum: 20%
- Air flux: 175
- Optimizer: 24%
- Input tension: 0
- OMAS (HP Optical Media Advance Sensor): off
- IMPORTANT: check the calibration before print
- Offset delay: 500 ms



Notice: to obtain a perfect print perform the print head manual regulation using a glossy vinyl. To calibrate colors, cover the vacuum holes along the media width with a white vinyl (better if gray back); calibration is accomplished, remember to remove it in order to make the vacuum work again.



**Was this guide helpful?**

**YOUR OPINION MATTERS! Email us at [salescare@guandong.eu](mailto:salescare@guandong.eu)**

